Ergonomic shovel, 345 mm, Yellow





Use this durable Ergonomic Shovel to move large amounts of food waste or food ingredients. Ergonomically designed with the user's working position in mind, this product is ideal for working at floor level as well as shovelling from container to container.

Technical Data

| Shovel Blade Size, L x W x H 380 x 340 x 90 mm material Polypropylene Anodised Aluminium Polypropylene Anodised Aluminium Polypropylene Anodised Aluminium Yes Complies with (EC) 1935/2004 on food contact materials of Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of pithalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity Per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 12 °C Max. cleaning tem | Item Number | 56016 |
|---|---|-------------------|
| Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 1345 mm Height 225 mm Net Weight 186 kg Weight cardboard Veight cardboard Tare total Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) Max. usage temperature (Ino food contact) 100 °C Max. usage temperature Max. drying temperature Max. pH-value in usage Concentration 10.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Shovel Blade Size, L x W x H | 380 x 340 x 90 mm |
| Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Pessign Registration No. Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Guantity Per Layer (Pallet) Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 1.148 kg Tare total 0.2278 kg Gross Weight Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. pH-value in usage concentration 1.0.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Material | |
| Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Min. usage temperature 20 °C Min. pH-value in usage Concentrat | Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight 1.86 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 20° C Min. usage temperature 20° C Min. pH-value in usage concentration 2 pH Max. ph-value in Usage Concentration 10.5 pH | | Yes |
| Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072/05/2 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 2 pH Max. drying temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020560163 | FDA compliant raw material (CFR 21) | Yes |
| Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 pH Max. pH-value in usage concentration 10.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Complies with UK 2019 No. 704 on food contact materials | Yes |
| Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight 1.86 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 2 °C Max. drying temperature 2 °C Min. pH-value in usage concentration 2 °C Min. pH-value in Usage Concentration 5705020560163 Customs Tariff No. 39241000 | Meets the REACH Regulation (EC) No. 1907/2006 | Yes |
| Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight 1.86 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 °C Max. drying temperature 2 °C Min. pH-value in usage concentration 2 °P Max. pH-value in Usage Concentration 5705020560163 Customs Tariff No. 39241000 | Use of phthalates and bisphenol A | No |
| Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020560163 Customs Tariff No. 39241000 | Is Halal and Kosher compliant | Yes |
| Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight 1.86 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Design Registration No. | UK 2072052 |
| Quantity Per Layer (Pallet) 0 Pcs. Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight 1.86 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max usage temperature (food contact) 100 °C Min. usage temperature* -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Box Quantity | 1 Pcs. |
| Length/Depth 1310 mm Width 345 mm Height 225 mm Net Weight 1.86 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Quantity per Pallet (80 x 120 x 200 cm) | 60 Pcs. |
| Width 345 mm Height 225 mm Net Weight 1.86 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Quantity Per Layer (Pallet) | 0 Pcs. |
| Height 225 mm Net Weight 1.86 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Length/Depth | 1310 mm |
| Net Weight 1.86 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Width | 345 mm |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight2.09 kgCubik metre0.101689 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | Height | 225 mm |
| Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Net Weight | 1.86 kg |
| Tare total0.2278 kgGross Weight2.09 kgCubik metre0.101689 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | | 0.053 kg |
| Gross Weight2.09 kgCubik metre0.101689 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | Weight cardboard | 0.1748 kg |
| Cubik metre0.101689 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | Tare total | 0.2278 kg |
| Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | Gross Weight | 2.09 kg |
| Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | Cubik metre | 0.101689 M3 |
| Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | Max. cleaning temperature (Dishwasher) | 93 °C |
| Min. usage temperature ³ Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Max. usage temperature (food contact) | 100 °C |
| Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | Max usage temperature (non food contact) | 100 °C |
| Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | Min. usage temperature ³ | -20 °C |
| Max. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020560163Customs Tariff No.39241000 | Max. drying temperature | 120 °C |
| GTIN-13 Number 5705020560163 Customs Tariff No. 39241000 | Min. pH-value in usage concentration | 2 pH |
| Customs Tariff No. 39241000 | Max. pH-value in Usage Concentration | 10.5 pH |
| | GTIN-13 Number | 5705020560163 |
| Country of origin Denmark | Customs Tariff No. | 39241000 |
| | Country of origin | Denmark |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.